INSTITUTE FOR DEFENSE ANALYSES

C2 Agility: Related Hypotheses and Experimental Findings

David S. Alberts

May 2015

Approved for public release; distribution is unlimited.

IDA Document NS D-5520 Log: H 15-000584

INSTITUTE FOR DEFENSE ANALYSES 4850 Mark Center Drive Alexandria, Virginia 22311-1882



The Institute for Defense Analyses is a non-profit corporation that operates three federally funded research and development centers to provide objective analyses of national security issues, particularly those requiring scientific and technical expertise, and conduct related research on other national challenges.

About This Publication

The views, opinions, and findings should not be construed as representing the official position of either the Department of Defense or the sponsoring organization.

Copyright Notice © 2015 Institute for Defense Analyses 4850 Mark Center Drive, Alexandria, Virginia 22311-1882 • (703) 845-2000

This material may be reproduced by or for the U.S. Government pursuant to the copyright license under the clause at DFARS 252.227-7013 (a)(16) [June 2013].

INSTITUTE FOR DEFENSE ANALYSES

IDA Document NS D-5520

C2 Agility: Related Hypotheses and Experimental Findings

David S. Alberts



C2 Agility: Related Hypotheses and Experimental Findings

a tutorial presented at 83rd Military Operations Research Society (MORS) Symposium June 2015

Dr. David S. Alberts

dalberts@ida.org

Alberts - 11070 - 83rd MORS



Agenda

- C2 Agility
- Hypotheses
- Experiments and Results
- Next Steps



Conceptual Foundation



C2 Approach Space

Understanding Command and Control (2006)



• C2 Maturity Levels

NATO NEC C2 Maturity Model (2010)

Agile C2

The Agility Advantage (2011)



• C2 Agility Experimentation

NATO SAS-085 (2013)






C2 Approach Space

- There are a great many possible approaches to accomplishing the functions that we associate with Command and Control.
- Developing the "option space" for Command and Control requires that major differences between possible approaches are identified.
 - Centralized v. Decentralized
 - Fixed Vertical Stovepipes v. Dynamic Task Organized
 - Limited information dissemination (need to know) v. broad dissemination (need to share)
- These difference are reflected in the dimensions of the C2 Approach Space (options available)
 - Allocation of Decision Rights (within an entity or to the collective)
 - Patterns of Interaction
 - Distribution of Information




C2 Approach Space





C2 Approach → NNEC Maturity





NATO NEC C2 Approaches


(context is a collection of civil-military entities)


C2 Approach	Allocation of Decision Rights to the Collective	Patterns of Interaction Among Participating Entities	Distribution of Information
Edge C2	Not Explicit, Self- Allocated (Emergent, Tailored, and Dynamic)	Unlimited As Required	All Available and Relevant Information Accessible
Collaborative C2	Collaborative Process and Shared Plan	Significant Broad	Additional Information Across Collaborative Areas/Functions
Coordinated C2	Coordination Process and Linked Plans	Limited and Focused	Additional Information About Coordinated Areas/Functions
De-Conflicted C2	Establish Constraints	Very Limited Sharply Focused	Additional Information About Constraints and Seams

Conflicted C2	None	None	Organic Information
---------------	------	------	---------------------




Patterns of Interactions: De-conflicted C2






Patterns of Interactions: Edge C2

IDA






NATO NEC C2 Approaches






Agility is the capability to successfully effect, cope with and/or exploit changes in circumstances





- the concept of Agility does not apply to a stable situation
- external changes (e.g. regime change, permissive to hostile)
- changes to self (e.g. a new coalition partner, loss of capability)







Agility is the capability to successfully effect, cope with and/or exploit changes in circumstances

respond to an event that would otherwise have adverse consequences



Agility is the capability to successfully effect, cope with and/oc exploit changes in circumstances

take advantage of an opportunity to improve effectiveness and/or efficiency or reduce risk



take actions to effect change or to prevent changes that might otherwise occur

Againty is the capability to successfully effect cope with and/or exploit changes in circumstances




Components of Agility

- Responsiveness
- Versatility
- Flexibility
- Resilience
- Adaptiveness
- Innovativeness

The contributions of these components to agility are not additive



- Responsiveness is an essential enabler of Active Agility.
- Responsiveness is a reflection of the timeliness of the intervention(s).
- The efficacy of the intervention is a function of all six of the enablers of agility.




Source: Alberts, The Agility Advantage (2011)



Versatility

• Versatility is the passive capability that enables an entity to maintain an acceptable level of performance without having to take action or change oneself.



Versatility of screws

Screw is able to successfully function under multiple circumstances (different screw drivers)



Flexibility

- *Flexibility* is having more than one way to achieve a desired result.
- Having options becomes important if the preferred way cannot be exercised, does not work given the circumstances, or becomes prohibitively costly.
- In theory, the more options one has, the more likely it is that one will have a good option available whatever the circumstances.
- As the number of options in one's tool kit increases, the marginal contribution of each additional option gets smaller (the law of diminishing returns).



Flexible Tool Kit





Resilience


- *Resilience* pertains to changes in circumstances that limit, damage or degrade entity performance.
- Being resilient involves an ability to maintain performance within acceptable bounds despite suffering damage.
- Resilience can be either passive or active or both
 - Being resilient may require that some action being taken (e.g. bring some offline capability on-line) or it may require no action be taken (e.g. existing redundancies provide the protection needed).
 - For example, an appropriately designed network can still provide acceptable services in the event a number of links goes down.



- *Adaptability* refers to making changes to self
- In this case, it is not what one does (choose an alternative course of action) that needs to change, but what one is and how one operates.
- Thus, *adaptability* involves changes to organization, policies, and/or processes.



- *Innovativeness* involves creating something new
 - e.g. a new way of accomplishing something when current practice does not provide options with adequate performance.
- While *flexibility* refers to having more than one choice, innovativeness adds new ways and means to the toolkit.
- Hence, *Innovativeness* enhances *Flexibility*






C2 Agility

- There are *many ways* to accomplish the functions associated with Command and Control
- No one approach to accomplishing the functions associated with command and control fits all missions or situations whether for a single entity or a collection of independent entities (a collective)
- The most appropriate approach will be a function of the endeavor and the prevailing circumstances
- Therefore, Entities (and Collectives) will need to be able to employ more than one approach
- C2 Agility is the ability to appropriately move around in the C2 Approach Space in response to changing missions and circumstances
- Agile C2 systems and processes are required for C2 Agility and to make specific approaches to C2 more agile



C2 Agility




This is a most appropriate C2 Approach for this particular set of circumstances



C2 Agility

When circumstances change, a different approach might be more appropriate




C2 Agility involves recognizing the significant of a change in circumstances, understanding the most appropriate C2 Approach for the circumstance and being able to transition to this approach.



Measuring C2 Agility


- The degree of agility possessed by an entity is a function of its ability to successful operate over an appropriate set of circumstances (Endeavor Space)
- A scalar measure of agility is defined as the area of the region in the Endeavor Space where an entity can successfully operate





C2 Agility

• C2 Agility = f(C2 Approach Agility, C2 Maneuver Agility)



C2 Approach Agility is the area of the region in the Endeavor Space where an entity can operate successfully by employing a given approach to C2

C2 Maneuver Agility is the ability to recognize the C2 approach appropriate for the circumstances and transition to this approach in a timely manner. It is a function of the set of C2 Approaches available to the entity.

Set of Available C2 Approaches



Agility of C2 Maturity Levels

C2 Maturity Levels	Contents of C2 Toolkit	C2 Approach Decision Requirement	Transition Requirements	Region of the Endeavor Space where a collective is successful
Level 5	Edge C2 Collaborative C2 Coordinated C2 De-Conflicted C2	Emergent	Edge C2 Collaborative C2 Coordinated C2 De-Conflicted C2	
Level 4	Collaborative C2 Coordinated C2 De-Conflicted C2	Recognize 3 situations and match to appropriate C2 approach	Collaborative C2 Coordinated C2 De-Conflicted C2	
Level 3	Coordinated C2 De-Conflicted C2	Recognize 2 situations and match to appropriate C2 approach	Coordinated C2	
Level 2	De-Conflicted C2	N/A	None	
Level 1	Conflicted C2	N/A	None	

Conflicted De-Conflicted Coordinated Collaborative Edge

Adapted from the Alberts, D. S. (2011). Agility Advantage, CCRP




Agenda


- C2 Agility
- Hypotheses
- Experiments and Results
- Next Steps



H1: Each C2 Approach is located in a distinct region of the C2 Approach Space




H2: No one approach is always the most appropriate






H3: More network-enabled approaches are more appropriate for Complex Endeavors; while less network-enabled approaches are more appropriate for less complex missions/circumstances






H4: More network-enabled approaches are more agile (have greater C2 Approach Agility)





H5: The dimensions of the C2 approach Space are positively correlated with agility



Distance from Origin



H6: More network-enabled approaches are better able to maintain their intended positions in the C2 Approach Space

H7: On-diagonal (balanced) approaches are more agile

H8: Increasing C2 Maneuver Agility increases agility H9: More mature C2 capability is more agile than the C2 Approach Agility of the most network-enabled approach available

H10: Self monitoring is required for C2 Maneuver Agility

H11: The six enablers of agility are collectively exhaustive and thus all instances of observed agility can be traced to one or more of these enablers

H12: Each of these enablers is positively correlated with agility



Agenda

- C2 Agility
- Hypotheses
- Experiments and Results
- Next Steps



C2 Agility Experimentation

• DoD CCRP ELICIT

• SAS-085 Campaign of Experimentation (CAMPX)

• ARL Network Science Research Laboratory




DoD CCRP ELICIT

Experimental Laboratory for the Investigation of Collaboration Information-sharing and Trust

- The U.S. DoD (OASD/NII) Command and Control Research Program (CCRP) sponsored the design and development of the ELICIT platform for experimentation and classroom activities focused on information, cognitive, and social domain phenomena
- The purpose of ELICIT-related experimentation, teaching, and analysis is to investigate the cognitive and social impacts of C2 approach and organizational structure (e.g. information sharing, trust, shared awareness, and task performance)
- ELICIT features:
 - An instrumented environment
 - Flexibly configurable C2 approaches
 - Supports both person-in-the-loop and software agents
 - Context provided by instructions/procedures/data files



Controllable in ELICIT





Hierarchy – Edge


Measures of Effectiveness and Efficiency Results of Human Trials

	Average Correctness	Average Timeliness	Average Efficiency	Average Error Rate		
Hierarchy	.025	.013	.011	.549		
Edge	.193	.080	.044	.426		

*Alberts, The Agility Advantage (2011) Results from 7 matched sets (14 human trials)




Controllable in abELICIT






Agility Map for Edge C2 (with an adaptive information sharing policy)





Agility Map for Edge C2 (with an adaptive information sharing policy)


Source: The Agility Advantage CCRP Publications 2011



with varying Signal-Noise Conditions and Degrees of Network Damage



Comparative Agility Map



with varying conditions of signal to noise and with varying requirements for shared situation awareness and response time

Source: Alberts, D.S. The Agility Imperative, 2010 Part V: Agility Experiments



C2 Agility Experimentation

DoD CCRP ELICIT


• SAS-085 Campaign of Experimentation (CAMPX)

• ARL Network Science Research Laboratory



SAS-085 CAMPX Methodology

 The method followed is based on the prospective metaanalysis methodology in order to produce a more complete, robust and generalizable set of findings than summarizing multiple independent experiments



IDA SAS-085 CAMPX Experimental Platforms

- All experimental platforms are constructive agent-based simulations, each of which instantiates at least two C2 Approaches and simulates a variety of circumstances
- ELICIT: Scenario that finds the Who, What, Where and When of a terrorist attack. There are three variants:
 - ELICIT-IDA (U.S.A.)
 - abELICIT (Portugal)
 - ELICIT-TRUST (U.S.A.): agents are influenced by trust
- IMAGE (Canada): Multi-agency stabilization operation
- WISE (U.K.): Air and maritime support to land operation
- PANOPEA (Italy): Maritime counter-piracy operation



ELICIT-TRUST

- C2 environments will exist in situations where entities do not trust or there is uncertainty with regard to the behavior of others in the Collective
- ELICIT-TRUST implements sharing behavior between nodes based on trust estimate of other agents
- Trust is a function of competence and willingness.
- Trust evolves according to Bayesian models and agents adapt their behaviors based on estimated trust of neighboring entities
- Communication network effects degrade the flow of information




ELICIT Experiment Endeavor Spaces

	ELICIT- IDA	ELICIT-TRUST	abELICIT
	Network damage	Message/Drop rates	Infostructure degradation
Self		Trust	Agent performance
		Selfishness	Organisation disruption
ent	Challenge		Key information available
Environment	Noise in information		
En	Cognitive complexity		



IMAGE

- IMAGE is a complexity comprehension tool augmented with software agents that deliberate and act according to rules that comply as much as possible with N2C2M2 theory
- The scenario involves multiple organizations that try to secure and stabilize the failing state by using a comprehensive approach





IMAGE

C2 Approach	Allocation of Decision Rights to the Collective	Patterns of Interaction among Entities	Distribution of Information among entities
Conflicted	Each organization decides of its unit locations and activities	Between units of the same organization	Between units of the same organization
De-conflicted	Each organization decides on its unit locations and non-conflicting activities	With organizations having collocated units for preventing conflicting activities	Variables shared instantly between organizations having collocated units
Coordinated	Like in De-Conflicted but interacting activities are considered first with collocated units	With organizations having collocated units for considering interacting activities	Like in De-Conficted + variables shared with 5 non-collocated units (delay: 5 iter)
Collaborative	All activities and unit locations are decided collectively	With all organizations for deciding unit locations and activities.	Same as coordinated but with any number of units (delay 3 iter.) 55





WISE

- The Wargame Infrastructure and Simulation Environment (WISE) is a Land focused C2 model with representation of air and maritime support to Land operations at the system level
- The scenario simulates a failing state that is experiencing internal conflict. The central government has invited a NATO coalition to stabilize the country
- The UK operation represents a brigade size operation with the specific intent of clearing insurgents from a major urban area
- WISE represented degraded conditions within the brigade operational area by varying the quality of battlefield communication



WISE






PANOPEA

Piracy Asymmetric Naval Operation Patterns modeling for Education & Analysis

- PANOPEA is a simulator for reproduction of anti-piracy operations and for evaluating the different approaches defined in NEC C2M2
- PANOPEA reproduces military frigates and helicopters, ground base, cargos, fisherman, yachts traffic and pirates
- Units are managed by intelligent software agents







Cargo_4

Region in Analysis





PANOPEA

NHQs

Coalnt

Frigate_I

Frigate_J

VMFHQs


RHQs


Frigate_N

Frigate_M


Frigate_L

Frigate_P





- Ship decision-making capability
- Intelligence DM capability •
- Number of pirates •
- Weather condition
- Misleading information



Endeavor Space



The differences among the experimental instantiations of the C2 approaches was investigated and these were found to be insignificant for the purposes of the CoE


	ELICIT-IDA (USA)	ELICIT-TRUST (USA)	abELICIT (Portugal)	IMAGE (Canada)	WISE (UK)	PANOPEA (Italy)
Conflicted		Х		Х		
De-Conflicted	Х	Х		Х	х	Х
Coordinated	Х	Х	Х	Х		
Collaborative	Х	X	Х	Х	х	Х
Edge	X	X	Х			Х

Not all of the experiments implemented all of the C2 Approaches



Creating an Endeavour Space

- The Endeavor Spaces were populated by combining all possible values of multiple variables, each one corresponding to an aspect of the situation
- Heat maps show the progressive degree of challenge of the Endeavour Spaces




- Darker shades of orange represent most challenging circumstances
- Values were normalized across the experiments



SAS-085 CAMPX Endeavour Spaces


ELICIT-IDA

IMAGE




DA Approaches in the C2 Approach Space

H1: Each of the NATO C2 Maturity Model approaches is located in a distinct region of the C2 Approach Space



IDA C2 Approach Locations – Meta Analysis




Combined results show that C2 approaches are located in distinct regions of the C2 Approach Space



No 'One Size' Fits All

H2: No one approach to C2 is always the most appropriate


H3: More network-enabled approaches to C2 are more appropriate for more challenging circumstances; however, less network-enabled C2 approaches to C2 are more appropriate for some circumstances






More Network-Enabled = More Agility

H4: More network-enabled approaches to C2 are more agile







- Darker shades of teal correspond to higher levels of mission success (1), lighter ones to failure (0)
- Blank squares represent nonsimulated cases

IDA

More Network-Enabled = More Agility

De-Conflicted was successful in 27 out of 54 circumstances Agility Score (IMAGE, De-Conflicted) = 27/54 = 0.50






ш	
$\overline{\Omega}$	
<u> </u>	
>	
5	

MAGE


	C2 Approach / Comm Quality / C2 Traffic																			
	Conflicted					De-Conflicted				Coordinated			Collaborative				Edge			
	Good Standard		Go	od	Standard		Good S		Stan	dard	Good		Standard		Good		Standard			
	Comms Comms		Con	nms	Comms		Comms		Comms		Comms		Comms		Comms		Comms			
	MO	ligh	Mo	ligh	8	ligh	N	ligh	N	ligh	Ň	łigh	Ň	ligh	N	ligh	8	ligh	N	High
-	-	I		I	<u> </u>	I		I	<u> </u>	I	<u> </u>	I		<u> </u>		I	<u> </u>	I	<u> </u>	



- Darker shades of teal correspond to higher levels of mission success (1.0), lighter ones to failure (0.0)
- Blank squares represent nonsimulated cases

IDA More Network-Enabled = More Agility


- Results suggest that Agility accelerates as C2 approaches become more network-enabled
- The relation between C2 Approach and Agility Score is quadratic (R² = 0.99)






C2 Approach Space → Agility

H5: The dimensions of the C2 Approach Space are positively correlated with agility



- Individually: Agility Score is strongly correlated to each dimension of the C2 Approach Space
- Collectively (multiple regression):

Agility Score = 0.030 + 0.460 x Allocation of decision rights - 0.269 x Patterns of interaction + 0.274 x Distribution of information




IDA Location Variations in C2 Approach Space

H6: More network-enabled C2 approaches are better able to maintain their position in the C2 Approach Space


• Only patterns of interaction and distribution of information were affected by circumstances

 The deviation was measured by the spreading, calculated from the area occupied by all circumstances



DA Location Variations in C2 Approach Space


H6: More network-enabled C2 approaches are better able to maintain their position in the C2 Approach Space





On vs. Off Diagonal

H7: On-diagonal (balanced) approaches to C2 are more agile





C2 Maturity \rightarrow C2 Agility

H9: More mature C2 capability is more agile than the most agile C2 Approach that can be adopted

C2 Maturity Levels	Contents of C2 Toolkit	C2 Approach Decision Requirement	Transition Requirements	Region of the Endeavor Space where a collective is successful
Level 5	Edge C2 Collaborative C2 Coordinated C2 De-Conflicted C2	Emergent	Edge C2 Collaborative C2 Coordinated C2 De-Conflicted C2	
Level 4	Collaborative C2 Coordinated C2 De-Conflicted C2	Recognize 3 situations and match to appropriate C2 approach	Collaborative C2 Coordinated C2 De-Conflicted C2	
Level 3	Coordinated C2 De-Conflicted C2	Recognize 2 situations and match to appropriate C2 approach	Coordinated C2	
Level 2	De-Conflicted C2	N/A	None	
Level 1	Conflicted C2	N/A	None	


Adapted from the Alberts, D.S. (2011). Agility Advantage, CCRP

Conflicted De-Conflicted Coordinated Collaborative Edge



C2 Maturity \rightarrow C2 Agility


H9: More mature C2 capability is more agile than the most agile C2 Approach that can be adopted





C2 Maturity \rightarrow C2 Agility

Experimental results suggest more an imbricated model than a complementary one





C2 Agility Experimentation

DoD CCRP ELICIT

• SAS-085 Campaign of Experimentation (CAMPX)

• ARL Network Science Research Laboratory (NSRL)

C2 and its Constituent Networks

- A specific C2 Approach is defined in three dimensions
 - allocation of decision rights
 - patterns of interactions
 - distribution of information
- The allocation of decision rights is a design parameter of a social network that is a function of organizational structure
- A patterns of interaction is an outcome of a social network and is a function of prescribed or emergent organizational processes
- The distribution of information is a function of policies, processes, and individual propensities
- All of the above are enabled or constrained by capabilities provided by information and communications networks



C2 and Composite Networks

- A Composite Network is a collection of interdependent networks
- The values of each of the C2 Approach dimensions is the result of the outcomes associated with three interdependent networks (social, information, and communications), each with specific design parameters values, behaviors, and performance
- Thus, C2 experiments should be conceived of and instantiated as multi-genre composite network experiments

Composite Network Experimentation

- Need to move beyond single genre experiments that represent the capabilities and performance of other networks by parameters
 - e.g. ELICIT will parameter determined communication delays
- ARL NSRL developed an ELICIT-EMANE* integrated environment as a first step in a planned development of a composite network experimentation environment
 - All interactions between social network nodes go through an emulated mobile tactical communications network
- This IOC capability will be enhanced with the introduction of an information network and network monitoring to explore integrated design of composite networks and context-aware network behaviors



Agenda

- C2 Agility
- Hypotheses
- Experiments and Results
- Next Steps



Frontiers of C2 Agility Research

- C2 of Composite Networks
- Cyber Security as a component of integrated design
- Automation and autonomy as a C2 Approach

REPORT DOCUMENTATION PAGE						Form Approved OMB No. 0704-0188				
	Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS .									
1.		TE (DD-MM-YY)	2. F	REPORT TYPE		3. DATES COVERED (From - To)				
	xx-05-2015		1	Final						
4.	TITLE AND					5a. CONTRACT NO.				
C2 Agility: Related Hypotheses and Experimental Findings						HQ0034-14-0001				
						5b.GRANT NO.				
						5c.PROGRAM ELEMENT NO(S).				
6.	AUTHOR(S) David S. Albe	rts				5d.PROJECT NO.				
						5e. TASK NO.				
						C6418				
						5f. WORK UNIT NO.				
7.	PERFORMIN	IG ORGANIZATIO	N NAME(S) A	ND ADDRESS(ES)		8. PERFORMING ORGANIZATION REPORT				
	Institute for E 4850 Mark Ce	Defense Analyses				NO. IDA Document NS D-5520				
	Alexandria, V					IDA Log H 15-000584				
9.	SPONSORIN	IG / MONITORING	AGENCY NA	ME(S) AND ADDRE	SS(ES)	10. SPONSOR'S / MONITOR'S ACRONYM(S)				
•		Defense Analyses				IDA				
4850 Mark Center Drive Alexandria, VA 22311-1882					11. SPONSOR'S / MONITOR'S REPORT NO(S).					
12	DISTRIBUT	ION / AVAILABIL	ITY STATEME	NT						
		public release; distri								
13.		NTARY NOTES								
14.	ABSTRACT									
	The objective of this tutorial is to acquaint attendees with the foundational concepts upon which C2 Agility is constructed, the metrics that are associated with C2 Agility, and C2 Agility-related experimentation and results to date.									
15.	15. SUBJECT TERMS									
C2, Agility, C2 Agility, Experimentation, Composite Networks										
\vdash				17. LIMITATION	18. NO. OF PAGE					
16.	16. SECURITY CLASSIFICATION OF:			OF Abstract	4	David S. Alberts				
	REPORT	b. ABSTRACT	c. THIS PAG		1	19b. TELEPHONE NUMBER (Include Area				
	U	U	U	UU		Code) (703) 845-2411				